




GEORGE MAIJO

# PRODUCT CATALOGUE

COMPLETE RANGE OF FARM EQUIPMENTS



TRUSTED BY FARMERS FOR OVER **62 YEARS**

[www.georgemaijoagri.com](http://www.georgemaijoagri.com)

## WHO WE ARE

Founded in 1962, George Maijo Industries Pvt. Ltd. is a reputed trading and manufacturing company. We are a multifaceted business group with a strong presence across India, operating through 20 branches and a network of 500+ dealers nationwide.



**GEORGE MAIJO**



# ORGANIZATION JOURNEY



GEORGE MAIJO

## 1962 George Maijo Was Established

In 1962, George Maijo was incorporated as a business involved in the export of seafood products



## 1970 BOAT-BUILDING

Continuing its success in seafood industry, the company ventured into boat building in 1970



## 1979 YAMAHA OBM

In 1979, George Maijo entered into a major alliance with Yamaha, Japan. Currently the market leader for Yamaha's fishing product line across India



## 2003 George Maijo X Mustad & Sons Norway

The company consolidated its marine division including fishing ropes, net, tackles, and hooks



## 2006 Two-Wheeler Dealership In Kerala

Yamaha Motorcycle Two-wheeler authorized dealership in Kollam, Kerala.



## 2016 MAIJO MOTO

Launched Maijo Moto, Maruti Suzuki India Ltd dealership in Kerala, opening the world's largest 3S Maruti Arena facility at Kochi, Kerala.



## 2013 George Maijo Agri

Farm Equipment Division commenced under the brand name Maijo

# Products



GEORGE MAIJO

## 1. POWER WEEDER

MAIJO WM 1100C-6 DLX .....	01
MAIJO WM 1100 A-6 .....	02
WM 1000 NAM .....	03
WM 1000 NAM Elite .....	04
WM 1100CM .....	05
MAIJO WM 1100C Elite .....	06
WM 1100CM Elite .....	07
WM 990 .....	08
M700 ECO .....	09
M 800 ECO .....	10
WM 1100C6 DLX PLUS .....	11
WM 1100C6 BR .....	12
WM 1100C6 DLX PLUS+PRIME .....	13

## 2. POWER TILLER

Maijo Mahaveer 13HP (Diesel) .....	14
------------------------------------	----

## 3. MAIJO REAPER

Maijo 5PR .....	15
Maijo 7PR .....	16

## 5. RICE TRANSPLANTER

Maijo AP 40 .....	17
Maijo AP 60 .....	18

## 6. WOOD CHIPPER

Maijo WM S306 .....	19
---------------------	----

## 7. BRUSH CUTTER

Maijo BC 520 DLX .....	20
Maijo 4SP PR .....	21
Maijo 4BP PR .....	22

## 8. WATER PUMP

Maijo QGZ40-20 Engine:152F/P .....	23
Maijo QGZ50-30 Engine:168FB/P .....	24
Maijo QGZ80-30 Engine:170F/P .....	25

## 9. GASOLINE ENGINE

Maijo 170/P-2 .....	26
Maijo 170F/P-2 .....	27
Maijo 188F/P-2 .....	28



GEORGE MAIJO



## POWER WEEDER

### MAIJO WM 1100C-6 DLX (Self / Manual Start)

**Engine & Capacity (in cc) :** 8.3HP - 3600 RPM, 418cc

**Weight :** 120

**Engine type :** Vertical / 4 Stroke

**Fuel Consumption(ltrs/hr) :** 0.7 to 0.8

**No. of Blades :** 40

**Working width (in MM) :** 120

**Drive & Gear :** Gear drive & 2 Forward & 1 reverse



GEORGE MAIJO



## **POWER WEEDER** **MAIJO WM 1100 A-6**

**Engine & capacity (in cc) :** 6 HP-3600 RPM & 296cc

**Engine type :** Vertical / 4 stroke

**Fuel Consumption(ltrs/hr) :** 0.7 to 0.8

**Working width & depth :** 800-1100 / 150-300 mm

**Drive & Gear :** Gear drive / 2 Forward & 1 reverse - high & low gear shift

**Weight (in kg) :** 115

**No. of blades :** 32



GEORGE MAIJO



## **POWER WEEDER** **WM 1000 NAM**

**Engine & capacity (in cc) :** 5.2 HP-3600 RPM & 249cc

**Engine type :** Vertical / 4 stroke

**Fuel Consumption(ltrs/hr) :** 0.7 to 0.8

**Working width & depth :** 800-1100 / 150-300 mm

**Drive & Gear :** Gear drive / 2 Forward & 1 reverse

**Weight (in kg) :** 83

**No. of blades :** 24



GEORGE MAIJO



## **POWER WEEDER** **WM 1000 NAM ELITE**

**Engine & capacity (in cc)** : 5.2 HP-3600 RPM & 249cc

**Engine type** : Vertical / 4 stroke

**Fuel Consumption(ltrs/hr)** : 0.7 to 0.8

**Working width & depth** : 800-1100 / 150-300 mm

**Drive & Gear** : Gear drive / 2 Forward & 1 reverse

**Weight (in kg)** : 83

**No. of blades** : 24



GEORGE MAIJO



## **POWER WEEDER** **WM 1100CM**

**Engine & capacity (in cc) :** 5.2 HP-3600 RPM & 212cc

**Engine type :** Vertical / 4 stroke

**Fuel Consumption(ltrs/hr) :** 0.7 to 0.8

**Working width & depth :** 800-1100 / 150-300 mm

**Drive & Gear :** Gear drive / 2 Forward & 1 reverse

**Weight (in kg) :** 83

**No. of blades :** 32



GEORGE MAIJO



## POWER WEEDER

### MAIJO WM 1100C ELITE

**Engine & capacity (in cc) :** 5.2 HP-3600 RPM & 163 cc

**Engine type :** Vertical / 4 stroke

**Fuel Consumption(Itrs/hr) :** 0.7 to 0.8

**Working width & depth :** 800-1100 / 150-300 mm

**Drive & Gear :** Gear drive / 2 Forward & 1 reverse

**Weight (in kg) :** 65

**No. of blades :** 32



GEORGE MAIJO



## **POWER WEEDER** **WM 1100CM ELITE**

**Engine & capacity (in cc) :** 5.2 HP-3600 RPM & 212cc

**Engine type :** Vertical / 4 stroke

**Fuel Consumption(Itrs/hr) :** 0.7 to 0.8

**Working width & depth :** 800-1100 / 150-300 mm

**Drive & Gear :** Gear drive / 2 Forward & 1 reverse

**Weight (in kg) :** 73

**No. of blades :** 32



GEORGE MAIJO



## POWER WEEDER

### WM 990

**Engine & capacity (in cc) :** 7 HP-3600 RPM & 212cc

**Engine type :** Vertical / 4 stroke

**Fuel Consumption(ltrs/hr) :** 0.7 to 0.8

**Working width & depth :** 1000/ 100 & 150 mm

**Drive & Gear :** Gear drive / 2 Forward & 1 reverse

**Weight (in kg) :** 53

**No. of blades :** 24



GEORGE MAIJO



## POWER WEEDER M700 ECO

**Model Number:** M700 ECO

**Engine Model:** WM170F/P(5HP) Petrol engine

**Rated Power/RPM (KW/rpm):** 4.0/3600

**Starting Mode:** Manual Start

**Machine Dimension (L×W×H):** 1600X1030X925

**Machine Weight (Kg):** 70kgs

**Gear Shifting:** REVERSE, NEUTRAL, SLOW, FAST

**Clutch:** Normal Engaged

**Working Depth (cm):** ≥10

**Working Width (cm):** 100

**Standard Accessory:** 4 pcs / 4 groups, 32 tilling blades,

2 nos side disk, 4.0-8 solid tyre



GEORGE MAIJO



## POWER WEEDER M800 ECO

**Engine Model:** WM170F/P, Petrol engine

**Rated Power & Speed :** 4 kw / 5.2 HP & 3600 r/min

**Dimension :** 1360 x 1050 x 1050 mm

**Fuel Consumption :**  $\geq 30$  kg/hm<sup>2</sup>

**Working width & depth :** 100 cms /  $\geq 10$  cm

**Working Speed :** 0.1 - 0.3 m/s

**Transmission :** Gear Transmission

**Connection :** Directly Shaft Connection

**Weight :** 75 kg

**No. of blades :** 32, Dry Land blades



GEORGE MAIJO



## **POWER WEEDER** **WM 1100C6 DLX PLUS**

**Engine & capacity (in cc) :** 8.4 HP-3600 RPM & 418cc

**Engine type :** Single Cylinder / Vertical / 4 stroke / Air-cooled

**Combustion System :** Direct Injection

**Fuel & Tank Capacity :** Diesel & 5.5 Litres

**Working width & depth :** 800-1350 / 150-300 mm

**Drive & Gear :** Gear drive / 3 Forward & 1 reverse, High & Low Gears

**Weight (in kg) :** 178

**No. of blades :** 40



GEORGE MAIJO



## **POWER WEEDER** **WM 1100C6 BR**

**Engine & capacity (in cc) :** 9.4 HP-3600 RPM & 418cc

**Engine type :** Single Cylinder / Vertical / 4 stroke / Air-cooled

**Combustion System :** Direct Injection

**Fuel & Tank Capacity :** Diesel & 5.5 Litres

**Working width & depth :** 800-1350 / 150-300 mm

**Drive & Gear :** Gear drive / 3 Forward & 1 reverse, High & Low Gears

**Weight (in kg) :** 178

**No. of blades :** 40



GEORGE MAIJO



## POWER WEEDER

### WM 1100C6 DLX PLUS + PRIME

**Engine & capacity (in cc)** : 9.5 HP-3600 RPM & 531cc

**Engine type** : Single Cylinder / Vertical / 4 stroke / Air-cooled

**Combustion System** : Direct Injection

**Fuel & Tank Capacity** : Diesel & 5.5 Litres

**Working width & depth** : 800-1350 / 150-300 mm

**Drive & Gear** : Gear drive / 3 Forward & 1 reverse, High & Low Gears

**Weight (in kg)** : 175

**No. of blades** : 40



GEORGE MAIJO



## **POWER TILLER** **MAIJO MAHAVEER 13HP**

**Engine :** 13 HP - 2400 RPM / 18 blades

**Fuel consumption (ltrs/hr) :** 1.2

**Engine type :** Single Cylinder / Horizontal / 4 stroke / OHV  
/ Direct Injection / Water-cooled

**Fuel :** Diesel

**Fuel tank capacity :** 11 litres

**Drive :** Side drive

**Gear** 6 forward & 2 reverse

**Weight (in kg)** 405

**Working width (in MM)** 600

**Working depth (in MM)** 150



GEORGE MAIJO



## **PADDY REAPER** **MAIJO - 5PR**

**Engine :** 4.5 HP-3600 RPM

**Type :** Single Cylinder, Air-cooled, Petrol Engine

**Fuel consumption (litres/acre) :** 0.7-0.8

**Fuel :** Petrol

**Fuel tank capacity :** 3.1 litres

**Working Speed :** 2.6 km/h

**Weight (in kg) :** 135

**Dimensions :** 2440 x 1470 x 950

**Cutting width (in MM) :** 1200

**Min Cutting Height (in MM) :** >=50

**Working Efficiency (hours/acre):** 1.2 to 1.8



GEORGE MAIJO



## **PADDY REAPER** **MAIJO - 7PR**

**Engine :** 5.2 HP - 3600 RPM

**Type :** Single OHV, 4 Stroke, Forced Air Cooling

**Fuel consumption (litres/acre) :**  $\leq 35$

**Dimensions :** 2335 x 1470 x 1015

**Rated Power (Kw) :** 4.0

**Gear Shifting :** 2 Forward, 1 Reverse

**Weight (in kg) :** 140

**Working Speed (m/s) :** 0.1 - 0.3

**Cutting width (in CM) :** 120

**Stub Height (in MM) :** 40 - 70

**Working Efficiency (hours/acre) :**  $\geq 4$



GEORGE MAIJO



## RICE TRANSPLANTER MAIJO AP 40

**Engine:** Yamaha 4.2 HP-3600 RPM

**Engine Capacity:** 92 cc

**Fuel Consumption:** 0.96 - 1.20 litres / acre

**Fuel & Tank Capacity:** Petrol & 3.2 Litres

**Gear:** 1 Forward for Travelling/Planting & 1 Reverse

**Weight:** 170 Kg

**No. of Rows:** 4

**Row to row spacing:** 30 cms

**Adjustable Hill to hill spacing:** 12, 14, 16 cms

**Depth of Transplanter:** 4 - 5 cms

**Working Efficiency (hectares/hour):** 4.48-5.15 hrs @ 2.58-2.68 kms/hr



GEORGE MAIJO



## **RICE TRANSPLANTER** **MAIJO AP 60**

**Engine:** Yamaha 4.2 HP-3600 RPM

**Fuel Consumption:** 0.96 - 1.20 litres / acre

**Fuel & Tank Capacity:** Petrol & 3.2 Litres

**Gear:** 1 Forward for Travelling/Planting & 1 Reverse

**Weight:** 180 Kg

**No. of Rows:** 6

**Row to row spacing:** 30 cms

**Adjustable Hill to hill spacing:** 12, 14, 16 cms

**Depth of Transplanter:** 4 - 5 cms

**Working Efficiency (hectares/hour):** 3.28-4.15 hrs @ 2.58-2.68 kms/hr



GEORGE MAIJO



## WOOD CHIPPER WM S306

**Engine Model & Displacement:** 192F/P, 14 HP & 459

**Rated Power (Kw/3600rpm):** 10

**Start Method:** Manual Recoil Start / Electric Start

**Cutter Speed:** 3000 rpm

**Blade Size:** 195 x 55 x 7mm

**Blade Material:** High Quality Alloy Steel

**Dimensions:** 1685 x 660 x 1135mm

**Weight (in KG):** 113.5



GEORGE MAIJO



## **BRUSH CUTTER**

### **MAIJO BC 520 DLX**

**Engine** : 2.5 HP-10,000 RPM / 52.7cc

**Weight(in kg)** : 4.2

**Cutting operation** : Sure tap with nylon rope & 2 tooth blade

**Fuel consumption (Itrs/Acre)** : 0.6-0.7

**Fuel** : Petrol mixed with 2T oil (01:0.25)

**Engine Type** : Vertical / 2 stroke, Air-cooled, Single Cylinder

**Accessories** : Goggles, Gloves and Ear Plug



GEORGE MAIJO



## BRUSH CUTTER MAIJO BC 4SP PR

**Engine** : 35.8cc / 10,000 RPM

**Engine Type** : 4 stroke, Air-cooled

**Rated Motor Power** : 1.25 Kw

**Weight(in kg)** : 8

**Cutting operation** : Sure tap with nylon rope & 3 tooth blade & Cultivator attachment

**Gear Box** : 28mm Triangle Head

**Starting System** : Recoil Starter

**Cutting Path Diameter** : 305 mm

**Clutch System** : Automatic Centrifugal

**Accessories** : Goggles, Gloves and Ear Plug



GEORGE MAIJO



## BRUSH CUTTER MAIJO BC 4BP PR

**Engine :** 35.8cc / 10,000 RPM

**Engine Type :** 4 stroke, Air-cooled

**Rated Motor Power :** 1.20 Kw

**Weight(in kg) :** 10

**Cutting operation :** Sure tap with nylon rope & 3 tooth blade & Cultivator attachment

**Gear Box :** 28mm Triangle Head

**Starting System :** Recoil Starter

**Cutting Path Diameter :** 305 mm

**Clutch System :** Automatic Centrifugal

**Other Features :** Easy Start Starter, High Quality Throttle Switch, Premium Gear Box, Protective Cover, Black D-Shaped Handle, High-back rack (with cushion)

**Accessories :** Goggles, Gloves and Ear Plug



GEORGE MAIJO



## WATER PUMP MAIJO QGZ40-20

**Engine:** 152F/P

**Inlet & Outlet diameter:** 1.5 in x 1.5 in.

**Pump type:** Self priming centrifugal pump

**Maximum suction lift:** 5m

**Maximum head:** 15m

**Maximum flow rate:** 12m<sup>3</sup>/h

**Power model:** WM152F/P

**Power displacement:** 97cc

**Fuel tank capacity:** 1.4L


**Oil capacity:** 0.45L

**External dimensions (mm):** 340 × 290 × 385

**Net weight (kg):** 13



GEORGE MAIJO



## WATER PUMP MAIJO QGZ50-30

**Engine:** 168FB/P

**Inlet & Outlet diameter:** 2 in x 2 in

**Pump type:** Self priming centrifugal pump

**Maximum suction lift:** 7m

**Maximum head:** 30m

**Maximum flow rate:** 32m<sup>3</sup>/h

**Power model:** WM168FB/P

**Power displacement:** 196cc

**Fuel tank capacity:** 3.6L

**Oil capacity:** 0.6L

**External dimensions (mm):** 476 × 380 × 405

**Net weight (kg):** 25



GEORGE MAIJO



## WATER PUMP MAIJO QGZ80-30

**Engine:** 170F/P

**Inlet & Outlet diameter:** 3 in x 3 in

**Pump type:** Self priming centrifugal pump

**Maximum suction lift:** 7m

**Maximum head:** 30m

**Maximum flow rate:** 54m<sup>3</sup>/h

**Power model:** WM170F/P

**Power displacement:** 212cc

**Fuel tank capacity:** 3.6L

**Oil capacity:** 0.6L

**External dimensions (mm):** 500 × 395 × 415

**Net weight (kg):** 28



GEORGE MAIJO



## ENGINE

### MAIJO 170/P-2

**Displacement (cc):** 212

**Cylinder diameter x stroke (mm):** 70×55

**Net power (kW/rpm) (SAE J1349):** 4.4/3600

**Net torque (N.m/rpm) (SAE J1349):** 12.5/2800

**Fuel tank volume (L):** 3.6

**Fuel:** Petrol

**Oil capacity (L):** 0.6

**External dimensions (LxWxH) (mm):** 390×310×345

**Net weight (kg):** 15(17)

**Regulatory certification:** EU



GEORGE MAIJO



## ENGINE

### MAIJO 170F/P-2

**Displacement (cc):** 270

**Cylinder diameter x stroke (mm):** 77×58

**Net power (kW/rpm) (SAE J1349):** 5.1/3600

**Net torque (N.m/rpm) (SAE J1349):** 16.5/2800

**Fuel tank volume (L):** 6

**Fuel:** Petrol

**Oil capacity (L):** 0.95

**External dimensions (LxWxH) (mm):** 430×395×415

**Net weight (kg):** 24.5(27.5)



GEORGE MAIJO



## ENGINE

### MAIJO 188F/P-2

**Displacement (cc):** 389

**Cylinder diameter x stroke (mm):** 88×64

**Net power (kW/rpm) (SAE J1349):** 8.5/3600

**Net torque (N.m/rpm) (SAE J1349):** 25/2800

**Fuel tank volume (L):** 6

**Fuel:** Petrol

**Oil capacity (L):** 1.1

**External dimensions (LxWxH) (mm):** 445×420×430

**Net weight (kg):** 30(33)



**GEORGE MAIJO**

**MAIJO**  
**ACCESSORIES**



**Single  
Plough**



**Ridger**



**Ditcher**



**Iron  
Wheel**



**Back  
Rotary**



## GEORGE MAIJO

No.4, Kodambakkam High Road, 1st Floor, Vijaya Tower,  
Nungambakkam, Chennai-600034, Tamilnadu.

☎ +91 91504 60651 ✉ info@georgemaijo.com

🌐 [www.georgemaijoagri.com](http://www.georgemaijoagri.com)

